

30--1							
藥品名	化學式	C. A. S.	廠牌	包裝	數量	存放位置	備註
Magnesium Chloride	MgCl ₂ *6H ₂ O	島久*7, Hanawa*1, M		500g *8,250g*1	9	1--(1)*7,-(2)*1 , (3)*1	
Methyol molamine			619	500g	1	30--1--(1)	
Methacrylamide	C ₄ H ₇ NO	79-39-0	Acros	250g	2	30--1--(1),(2)	
Methyl yellow			和光	5g	1	30--1--(2)	
Magnesium bromide-anhydrous			strem	10g	1	30--1--(2)	
Molybdenum (IV) oxide			strem	50g	1	30--1--(2)	
Lauryl peroxide			619	500g	1	30--1--(1)	
Lead acetate	Pb(CH ₃ COO) ₂ *3H ₂ O		和光	500g	6	30--1--1	
Lead monoxide	PbO		和光	250g	1	30--1--(2)	
藥品名	化學式		廠牌	包裝	數量	存放位置	備註
Maleic anhydride	C ₄ H ₂ O ₃	108-31-6	9, 三德 , Ac	100g , 500g , 1k	3	30--1--(3)	
Resorcinol	C ₆ H ₄ (OH) ₂		和光	500g	1	30--1--(3)	
Magnesium carbonate basic	(MgCO ₃) ₄ Mg(OH) ₂ *5H ₂ O		關東	500g	1	30--1--(2)	
1-Lauryl pyridinium chloride	C ₁₂ H ₂₅ NCl:CHCH:CHCH=CH		和光	25g	1	30--1--(1)	
Magnesium acetate tetrahydrate	(CH ₃ COO) ₂ Mg*4H ₂ O		Merck	250g	1	30--1--(2)	
Methyl cellulose			藥理 , 關東	500g	2	30--1--(1) , (2)	
1,1'-(Methylenedi-4,1-phenylene)-bis-Maleimide	C ₂₁ H ₁₄ N ₂ O ₄	13676-54-5	Acros	25g	1	30--1--(2)	
Malonic acid	C ₃ H ₄ O ₄		和光	500g	1	30--1--(2)	
Magnesium	Mg		619	250g	1	30--1--(3)	

Lithium hydroxide, monohydrate	LiOH*H ₂ O		關東,Janssen	250g	2	30--1--(1),(2)	取壹瓶給Dr.RAJA
Map				100g	1	30--1--(2)	
Magnesium fluoride	MgF ₂		林純藥	500g	1	30--1--(2)	
Magnesium chloride hexahydrate	MgCl ₂ *6H ₂ O		Merck	250g	1	30--1--(2)	
Mercury chloride	Cl ₂ Hg		Janssen	500g	1	30--1--(2)	
Methyl p-hydroxybenzoate	C ₆ H ₅ COOH		和光	500g	1	30--1--(2)	
Nickel chloride anhydrous	NiCl ₂		林純藥	250g	1	30--1--(1)	
藥品名	化學式		廠牌	包裝	數量	存放位置	備註
MDI 86, 01, 20			老師提供	100g	4	0--1--(1)*3 , (2)*1	
Natrium flouorid	NaF		Merck	250g	1	30--1--(3)	
Naphthalin-1,5-diol	C ₁₀ H ₈ O ₂		Merck	500g , 250g	3	30--1--(2)*2 , (3)*1	
5-Norbornene-2,3-dicarbonsaure anhydrid	C ₉ H ₈ O ₃		Merck	250g	1	30--1--(3)	Dr.Raja
Melamine NO.2	C ₃ H ₆ N ₆	108-78-1	619	500g	2	30--1--(3)	
p-Nitrophenol	NO ₂ C ₆		和光	500g	1	30--1--(2)	
Naphthalin-2,7-diol NO.1~NO.4	C ₁₀ H ₈ O ₂		Merck	250g*3 , 500g*	4	30--1--(3)	
Magnesium perchlorate			關東	250g	1	30--1--(1)	
2-Nitroanline	C ₆ H ₆ N ₂ O ₂	88-74-4	Janssen	500g	1	30--1--(2)	
m-Natriumoxalat	C ₂ Na ₂ O ₄		Merck	100g	1	30--1--(2)	
Nitrosyltetrafluoroborat	NOBF ₄		Merck	5g	2	30--1--(2)	
cis-5-Norbornene-endo-2,3-dicarboxylic-anhydrous			Aldrich	5g	1	30--1--(1)	
1,8-Naphthalic anhydride	C ₁₂ H ₆ O ₃		Acros	100g	1	30--1--(2)	
4-Nitrobenzoyl chloride	C ₇ H ₄ ClNO ₃		Acros	500g	1	30--1--(2)	
3-Nitrophthalsaeure anhydrid	C ₈ H ₃ NO ₅		Merck	25g	1	30--1--(2)	
1,4-Naphthochinon	C ₁₀ H ₆ O ₂		Merck	500g	1	30--1--(2)	
3-Nitrophthalic acid	NO ₂ C ₆ H ₃ (COOH) ₂		TCI	500g	1	30--1--(3)	
Nickel chloride	NiCl ₂ *6H ₂ O		YAKURI	500g	1	30--1--(2)	

藥品名	化學式		廠牌	包裝	數量	存放位置	備註
Methyl orange (甲基橙)	$C_{14}H_{14}N_3NaO_3S$		LOBA	100g	1	30--1--(2)	
4-Methoxyphenol	$C_7H_8O_2$	150-76-5	Janssen	500g	1	30--1--(1)	
Natrium carbonat	Na_2CO_3		FERAK	500g , 1kg	2	30--1--(3)	
Starch Solube			WAKO	500g	1	30--1--(3)	
Sodium Bisulfate	$NaHSO_4$		619	500g	1	30--1--(3)	
Sodium bicarbonate	$NaHCO_3$		619	250g	1	30--1--(3)	
Potassium Permaganate	$KMnO_4$		島久	500g	1	30--1--(3)	
Potassium fluoride	KF		Merck	100g , 250g	2	30--1--(3)	
Pentaerythritol			FERAK , 島久	1kg , 250g	2	30--1--(3)	
Methylhydroquinone 99%	$C_7H_8O_2$	95-71-6	Janssen	250g	1	30--1--(1)	
Magnesium oxide	MgO	1309-48-4	619	1kg	1	30--1--(1)	
4-Methylbenzyl alcohol	$C_8H_{10}O$	589-18-4	Acros	25g	1	30--1--(1)	
Magnesium Sulfate , Anhydrous	$MgSO_4$		國產化學	500g	1	30--1--(2)	
Natrium phenolat	C_6H_5NaO		Merck	100g	1	30--1--(2)	
Lithium , lump	Li		和光	500g	1	30--1--(3)	

