

藥品名稱	規格	存放處	數量
Acetic Acid(Glacial) 100%	2.5 L	有機溶劑	1
Acetic anhydride	500 mL	防潮箱	1
Acetone	4 L	有機溶劑	1
Acetonitrile	4 L	有機溶劑	1
✓ Acridine Orange Hydrochloride Hydrate	1 g	藥品櫃	1
✓ Acrylamide:N,N-Methylene biscarylamide 29:1 solution	500 mL	4°C 冰箱	1
✓ Activated carbon	1 kg	藥品櫃	1
✓ Agarose	100 g	防潮箱	1
✓ Agarose 3:1 HRB	2 g	藥品櫃	1
✓ Agarose SFR	5 g	藥品櫃	1
Agarose I	500 g	防潮箱	1
β-Agarase I	500 units	-20°C 冰箱	1
✓ Albumin, Bovine-Fluores Isothiocyanate	50 mg	4°C 冰箱	2
Alcian Blue 8GX	10 g	防潮箱	1
Alexa Flour 488 phalloidin	300 unit	-20°C 冰箱	1
✓ Alginic acid sodium salt	50 g	藥品櫃	1
Alizarin Red S	25 g	防潮箱	1
Alkaline phosphatase	1 mg	-20°C 冰箱	1
Albumin	1 mg	4°C 冰箱	2
✓ Albumin Bovine (BSA)	100 g	4°C 冰箱	1
Aluminium Chloride	500 g	藥品櫃	1
Aluminium sulfate	250 g	藥品櫃	1
Amberlite IR-120	1 kg	藥品櫃	1
✓ Amberlite IRA- 400(Strongly Basic Exchanger)	100 g	藥品櫃	1
✓ Amberlite IRA-96	250 g	藥品櫃	1
✓ Amberlite IRC-50	250 g	藥品櫃	1
✓ Amberlite XAD 2	500 g	藥品櫃	1
Amino Acid Standard H	10×1 mL	-20°C 冰箱	1
2-Amino-2-methyl-1-propanol	100 mL	防潮箱	1
✓ 12-Aminododecanoic acid, 95%	25 g	藥品櫃	2
2-Aminoethanethiol Hydrochloride, 98%	25 g	防潮箱	1
✓ 3-Aminopropyl Triethoxysilane	100 mL	藥品櫃	1
✓ 4-Aminoacetophenon	50 g	藥品櫃	1
Ammonium acetate	500 g	藥品櫃	1
Ammonium chloride	1 kg	藥品櫃	1
	500 g	藥品櫃	1
Ammonium Hydrogencarbonate, 99%	1 kg	藥品櫃	1
Ammonium Hydroxide	4 L	有機溶劑	1
Ammonium Persulfate (APS)	25 g	防潮箱	1
Ammonium Sulfate	1 kg	藥品櫃	1
di-Ammonium hydrogen phosphate	500 g	藥品櫃	1
Amphotericin B Solution (Fungizone)	10 mL	-20°C 冰箱	1
Ampicilline Sodium Salt	100 g	4°C 冰箱	1
ANB-NOS(N-5-Azido-2-nitrobenzoxyl oxysuccinimide)	50 mg	4°C 冰箱	1
✓ 8-Anilino-1-naphthalene sulfonic acid	5 g	藥品櫃	1

藥品名稱	規格	存放處	數量
Anlytical grade cation exchange resin	500 g	藥品櫃	1
Antifoam 204	100 g	防潮箱	1
✓ L-Arginine monohydrochloride	25 g	藥品櫃	2
✓ L-Arginine	100g	藥品櫃	1
✓ L-Aspartic acid sodium salt monohydrate	25 g	藥品櫃	1
✓ L-Aspartic acid, minimum 98% TLC	100 g	藥品櫃	1
✓ Azure A	10 g	藥品櫃	1
Bacitracin	50000 units	4°C 冰箱	1
Bacto Agar	454 g	防潮箱	2
Bacto Casamino Acids	500 g	防潮箱	1
Bacto Peptone	500 g	防潮箱	2
Bacto Tryptone	500 g	防潮箱	2
Bacto Yeast Extract	500 g	防潮箱	1
✓ Beef Extract		藥品櫃	1
✓ Benzamidine		4°C 冰箱	1
✓ Benzamidine hydrochloride, 98%	25 g	4°C 冰箱	1
✓ Betaine Monohydrate	100 g	藥品櫃	1
[O-(Benzotriazol-1-yl)-N,N,N',N'-tetra-methyluronium hexafluoro phosphate	✓ 5 g	4°C 冰箱	2
	✓ 25 g	4°C 冰箱	1
Bio-Gel P-6 Gel, 45-90um Wet	100 g	防潮箱	1
Biotin	1 g	4°C 冰箱	1
N-Boc-1, 6-diaminohexane solvate	1 g	4°C 冰箱	2
Boc-His(Boc)-OH benzene solvate	25 g	-20°C 冰箱	1
✓ BOP	5 g	4°C 冰箱	1
	100 g	-20°C 冰箱	1
BOC-ON, 99%	25g	-20°C 冰箱	1
	✓ 1 kg	藥品櫃	1
Boric Acid	500 g	藥品櫃	1
Bromoacetic acid, 99%	25 g	防潮箱	1
N-Boc-1,4-diaminobutane	1 mL	4°C 冰箱	1
N-Boc-1,6-hexanediamine	1 g	4°C 冰箱	3
Bromocresol Green, sodium salt	5 g	4°C 冰箱	1
6-Bromohexanoic acid, 98%	25 g	防潮箱	1
✓ Bromophenol Blue	25 g	藥品櫃	1
	5 mg	-20°C 冰箱	1
	10 mg	-20°C 冰箱	1
5-Bromo-4-chloro-3-indolyl	100 mg	-20°C 冰箱	1
	250 mg	-20°C 冰箱	1
3-Bromopropylamine hydrobromide, 98%	100 g	藥品櫃	1
✓ N-Bromosuccinimide	100 g	藥品櫃	1
1-Butanol	1 L	有機溶劑	1
Tert-Butanol 99.5%	1 L	有機溶劑	1
✓ n-Butyllithium, 1.6 M solution in hexanes	100 mL	4°C 冰箱	1
Calcium Carbonate	50 g	防潮箱	1
Calcium Cholride Dihydrate	1 kg	藥品櫃	1

藥品名稱	規格	存放處	數量
Calcium hydroxide	500 g	藥品櫃	1
Calcium nitrate tetrahydrate	500 g	藥品櫃	1
Calcofluor white stain	100 mL	防潮箱	1
✓N6-Carbobenzoyloxy-L-lysine, 98%	5 g	藥品櫃	1
1,1-Carbonyl diimidazole	25 g	防潮箱	1
5-(and-6)-carboxynaphtho-fluorescein, succinimidyl ester*mixed isomers*	25 mg	-20°C 冰箱	1
✓Celite 512 medium	1 kg	藥品櫃	1
✓D(+)-Cellobiose	50 g	藥品櫃	1
✓α-D-cellobiose octaacetate, 98%	25 g	藥品櫃	1
cellotriose, Fine	50 mg	-20°C 冰箱	1
✓α-cellulose powder	1 kg	藥品櫃	1
✓CHES(2-[N-Cyclohexylamino]ethanesulfonic acid)	25 g	藥品櫃	1
Chitin Beads	100 mL	4°C 冰箱	1
Chitosan Dimer	100 mg	-20°C 冰箱	3
Chitin from crab shells, practical grade	100 g	藥品櫃	1
Chitosan highly viscous	100 g	藥品櫃	1
✓Chitosan (Low Molecular Weight)	25 g	藥品櫃	1
Chloroacetaldehyde diethyl acetal	100 mL	防潮箱	1
Chlorobenzene	1 L	有機溶劑	1
2-Chloroethylamine hydrochloride 98%	100 g	防潮箱	1
✓Chlorhexidinedigluconate	✓ 25 mL	4°C 冰箱	1
	✓ 100 mL	4°C 冰箱	1
Chloroacetic Acid, 99%	25 g	防潮箱	1
Chloroform	100 g	防潮箱	1
✓3-Chloroperbenzoic acid	25 g	藥品櫃	1
✓Chloroquine	25 g	藥品櫃	1
✓Chloramphenicol	25 g	-20°C 冰箱	1
	25 g	4°C 冰箱	1
✓2-Chlorotriyl chloride resin (100-200 mesh), 1%DVB	25 g	防潮箱	1
✓2-chlorotriyl chloride polymer bound	5 g	藥品櫃	1
2-chlorotriyl chloride resin, 1% DVB	25 g	藥品櫃	1
✓Chlorpromazine hydrochloride ^{n=7m} × ✓	(5g)	藥品櫃	1
Cholesterol	25 g	-20°C 冰箱	1
Cholesteryl chloroformate	✓ 25 g	藥品櫃	1
	10 g	-20°C 冰箱	1
Chromium(III) chloride-6-hydrate	500 g	藥品櫃	1
✓Chondroitin sulfate sodium salt	5 g	4°C 冰箱	1
α-Chymotrypsin	25 units	-20°C 冰箱	1
α-Chymotrypsin, Type II	500 mg	-20°C 冰箱	1
α-Chymotrypsin, Type VII	10 mg	-20°C 冰箱	1
✓L-Citrulline, minimum 98% TLC	5 g	藥品櫃	1
Citric acid, anhydrous	500 g	藥品櫃	2
Collagenase, type I	1 g	4°C 冰箱	1
Column Packing for fast flow Chromatography Butyl-650S	100 mL	4°C 冰箱	1
✓Coomassie Brilliant Blue	25 g	藥品櫃	1

藥 品 名 稱	規格	存放處	數量
o-Cresolphthalein	5 g	防潮箱	1
✓ Cupric Chloride	100 g	藥品櫃	1
3-Cyanobenzoyl chloride 99%	5 g	防潮箱	1
✓ Cystamine Dihydrochloride, 98%	25 g	藥品櫃	1
DAPI	10 mg	-20℃ 冰箱	1
DEAE Sephadex A-25	100 g	防潮箱	2
DEAE Sephadex A-50	100 g	防潮箱	1
DEAE Sepharose TM Fast Flow	500 mL	4℃ 冰箱	1
Deoxyribonuclease I from bovine pancreas	100 mg	-20℃ 冰箱	1
Deuteriumoxide	100 mL	防潮箱	1
Dextran Mw:1500	5 g	防潮箱	2
Dextran from Leuconostoc ssp.	25 g	防潮箱	1
✓ Dextran from leuconostoc ssp. MR~15,000~20,000	25 g	藥品櫃	1
✓ Dextran from leuconostoc ssp. MR~500,000	10 g	藥品櫃	1
Dextran from leuconostoc ssp. MR~2,000,000	50 g	防潮箱	1
Dextran Sulfate, Sodium Salt	10 g	4℃ 冰箱	1
Dextran T70(Mw:70,000)	100 g	藥品櫃	1
Di(N-succinimidyl) carbonate	5 g	-20℃ 冰箱	1
✓ Diaion PA418	100 g	藥品櫃	1
2, 3-diaminonaphthalene (DAN)	100 mg	-20℃ 冰箱	1
	100 mg	4℃ 冰箱	1
1,12-Diaminododecane	100 g	藥品櫃	1
Diatomaceous Earth	100 g	藥品櫃	1
N,N'-Dicyclohexylcabodimide	250 g	4℃ 冰箱	1
N,N-Dimethylformamide	2.5 L	有機溶劑	1
✓ 4,4-Dinitro-2-biphenylamine, 98%	25 g	藥品櫃	1
✓ 3-(Diethoxyphosphoryloxy)-1,2,3-benzotriazin, 98%	5 g	藥品櫃	1
✓ Diethyl Pyrocarbonate	25 mL	4℃ 冰箱	1
✓ Diisopropylamine 99.95%	100 mL	藥品櫃	1
✓ 3-(Dimethylamino)-1,2-propanediol, 98%	25 mL	藥品櫃	1
✓ 2-Dimethylaminoethylamine	100 mL	藥品櫃	1
✓ Dimethyl suberimidate dihydrochloride (DMS)	5 g	4℃ 冰箱	1
3-Dimethylamino-1-propylamine, 99%	500 mL	藥品櫃	1
Dimethylsulfoxid-D6	10×0.75 mL	防潮箱	2
	100 mL	防潮箱	2
Dimethyl Sulfoxide (DMSO)	4 L	有機溶劑	1
✓ 3,5-Dinitrosalicylic acid	10 g	藥品櫃	1
✓ 2,2-Dithiodipyridine	5 g	4℃ 冰箱	1
✓ 1,6-Diphenyl-1,3,5-Hexatriene	1 g	藥品櫃	1
1,2-Distearoyl-sn-Glycero-3-phosphoethanolamine-N-[Methoxy(Polyethylene glycol)-2000]	500mg	-80℃ 冰箱	2
1, 2-Distearoyl-sn-Glycero-3-phosphoethanolamine	1 g	-20℃ 冰箱	1
1, 2-Dimyristoyl-sn-Glycerol-3-Phosphoethanolamine	1 g	-20℃ 冰箱	1
N,N'-Disuccinimidyl Carbonate, 98% (DSC)	25 g	-20℃ 冰箱	1
✓ Di-tert-butyl-dicarbonate, 99%	25 g	4℃ 冰箱	2

藥品名稱	規格	存放處	數量
✓ 5,5'-Dithiobis(2-Nitrobenzoic Acid), 99%	5 g	4°C 冰箱	1
DNA marker 1kb loader		-20°C 冰箱	2
DNA polymerase	250U	-20°C 冰箱	3
DMEM D-2902		4°C 冰箱	6
DMEM D-2906		4°C 冰箱	5
DMEM D-5030		4°C 冰箱	10
DMEM D-5280		4°C 冰箱	7
DMEM D-5523		4°C 冰箱	11
DMEM D-5648		4°C 冰箱	11
DMEM F-12 (Gibco)		4°C 冰箱	6
DMEM low glucose		4°C 冰箱	5
DMEM high glucose		4°C 冰箱	1
Dithiothreitol, 99%(DTT)	5 g	-20°C 冰箱	1
EcoRI	0.5 mL	-20°C 冰箱	1
EosineY, 0.2%	1 L	藥品櫃	1
ER-Tracker Red	100 ug	-20°C 冰箱	1
Ethanol, 99.5% anhydrous	4 L	有機溶劑	1
Ether, Anhydrous	4 L	有機溶劑	1
✓ Ethidium Bromide Tablets	25 tablets	藥品櫃	1
Ethidium Monoazide Bromide	5 mg	-20°C 冰箱	2
Ethyl Acetate	4 L	有機溶劑	2
1-(3-Dimethylamino-Propyl)-3-ethylcarbodiimide 98%	5 g	-20°C 冰箱	2
N-(3-Dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride	25 g	-20°C 冰箱	1
Ethyl trifluoroacetate	25 g	防潮箱	1
✓ Ethyl isocyanatoacetate 98%	5 g	4°C 冰箱	1
1-Ethyl-3-(3-Dimethylamino-Propyl) Carbodiimide	5 g	-20°C 冰箱	1
Ethylamine solution	500 mL	有機溶劑	1
N-Ethyl-diisopropylamine	250 mL	有機溶劑	1
✓ N-(1-naphthyl) ethylenediamine dihydrochloride Mw = 259.17	5 g	藥品櫃	1
Ethylene glycol	1 L	藥品櫃	1
Ethylene glycol monodecyl ether	5 mL	防潮箱	1
✓ Ethylenediamine, 99.5%	100 mL	藥品櫃	1
Ethylenediaminetetra-acetic acid (EDTA)	500 g	藥品櫃	1
Fluorescamine	100 mg	-20°C 冰箱	2
Fluorescein	100 g	藥品櫃	1
Fluorescein Isothiocyanate	250 mg	-20°C 冰箱	1
Fluorescein-5-isothiocyanate(FITC) isomer	250 mg	-20°C 冰箱	1
	1 g	-20°C 冰箱	1
✓ 5-Fluorouracil T	1 g	藥品櫃	3
Fmoc-Cys(Acm)-OH	10 g	-20°C 冰箱	1
Fmoc-Cys(Trt)-OH	10 g	-20°C 冰箱	1
Fmoc-His (1-Trt)	1 g	防潮箱	1
Fmoc-His (1-Trt)	5 g	防潮箱	1
Fmoc-His (1-trt)-OH	25 g	-20°C 冰箱	1

藥品名稱	規格	存放處	數量
Fmoc-His(Trt)-OH	25 g	-20°C 冰箱	1
	5 g	4°C 冰箱	2
✓ Folic acid	25 g	藥品櫃	1
✓ Folic acid dihydrate	10 g	藥品櫃	1
β-galactosidase grade VI from Escherichia coli	1 kunits	-20°C 冰箱	1
✓ G418 Disulfate salt powder	5 g	4°C 冰箱	1
✓ Gelatin from borine skin, Type B	100 g	藥品櫃	1
Gelatin type A	100 g	藥品櫃	1
Gelatin type B	100 g	藥品櫃	2
✓ Genipin	5 g	藥品櫃	1
Genistein, minimum 98%	100 mg	-20°C 冰箱	2
Gentamycin Reagent Solution	10 mL	4°C 冰箱	1
✓ Gentamycin Sulfate Solution	10 mL	4°C 冰箱	2
✓ Gentisic acid	10 g	藥品櫃	1
D-(+)-Glucose Anhydrous, ≥99.5% 試藥級	1 kg	藥品櫃	2
L-Glutamine	100 g	4°C 冰箱	1
Glutaraldehyde	100 mL	防潮箱	1
✓ Glutaraldehyde 25%	10×10 mL	4°C 冰箱	2
Glutaraldehyde 50%	10 mL	-20°C 冰箱	2
✓ Glycerol	100 mL	藥品櫃	1
Glycerol, anhydrous	4 L	有機溶劑	1
✓ Glycine	1 kg	藥品櫃	2
✓ Glycogen	5 g	藥品櫃	1
Glucose Oxidase Type X-S: from Aspergillus niger	50 kunits	-20°C 冰箱	1
D-(+)-Glucosamine hydrochloride	25 g	防潮箱	1
β-Glucosidase	92mg	-20°C 冰箱	1
✓ L-Glutamine acid	100 g	藥品櫃	1
✓ Glycolic acid	100 g	藥品櫃	1
Guanidine-Hydrochloride	500 g	防潮箱	1
✓ Heparin Ammonium Salt	100,000 units	4°C 冰箱	1
✓ HEPES ≥99.5% (Ultrapur [®] 1, for F K2 performance certified K2)	100 g	藥品櫃	2
✓ Hexadecyltrimethylammonium bromide, 99%	25 g	藥品櫃	1
Hexaethylene Glycol	5 g	防潮箱	1
Hexanoyl chloride	25 mL	防潮箱	1
Heptane	1 L	有機溶劑	1
✓ 1-Hexadecanol	100 g	藥品櫃	2
1,1,1,3,3,3-Hexafluor-2-propanol > 99%	100 g	防潮箱	2
n-Hexane	2.5 L	有機溶劑	1
✓ Hexylamine, 99%	100 mL	藥品櫃	1
✓ L-Histidine	100 g	藥品櫃	1
Hippuryl-his-Leu	100 mg	-20°C 冰箱	1
Hoechst 33342 trihydrochloride trihydrate	100 mg	-20°C 冰箱	2
Holo-Transferrin	500 mg	-20°C 冰箱	1
Hydrochloric Acid, 37%	1 L	有機溶劑	1
Hydrogen peroxide 35%	1 L	4°C 冰箱	1

藥 品 名 稱	規格	存放處	數量
Hydroxyapatite	5 g	防潮箱	1
✓ 1-Hydroxy-benzotriazole, 98% (HOBT)	25 g	4°C 冰箱	1
✓ 6-Hydroxypicolinic acid, 98%	1 g	藥品櫃	1
✓ (Hydroxypropyl)methyl cellulose, viscosity=40~60 c.p	25 g	藥品櫃	1
8-Hydroxy quinoline	25 g	防潮箱	1
✓ N-Hydroxysuccinimide ?	25 g	藥品櫃	1
N-Hydroxysulfosuccinimide (Sulfo-NHS)	500 mg	-20°C 冰箱	1
✓ Hypro mellose	25 g	藥品櫃	1
✓ 1-Iodododecane	25 mL	藥品櫃	2 ✓
2-Iminothiolane hydrochloride	100 mg	防潮箱	1
Instant blue	50 mL	4°C 冰箱	1
IPTG (amresco)		-20°C 冰箱	1
1-Iodododecane	100 mL	藥品櫃	1
Isopropyl β-D-1-thiogalactopyranoside	5 g	-20°C 冰箱	2
	10 g	4°C 冰箱	2
✓ Iron 99% powder	500 g	藥品櫃	1
✓ Iron(II) chloride tetrahydrate	250 g	藥品櫃	1
Iron(III) chloride	500 g	藥品櫃	1
✓ Isocyanatoacetic Acid Ethyl Ester	5 g	4°C 冰箱	1
Kanamycin sulfate from Streptomyces Kanamyceticas	5 g	4°C 冰箱	1
L3224 LIVE/DEAD Viability/Cytotoxicity	1 kit	-20°C 冰箱	1
Label IT Tracker Cy	5 kit	-20°C 冰箱	1
Label IT Tracker Fluorescien Kit	1 kit	-20°C 冰箱	3
Label IT Tracker TM-Rhodamine kit	1 kit	4°C 冰箱	1
L-(+)-Lactic acid	10 g	4°C 冰箱	1
✓ α-Lactose monohydrate	1 kg	藥品櫃	2
Lithium chloride 99% for analysis anhydrous	10 g	防潮箱	1
Limulus ameocyte lysate (LAL)		4°C 冰箱	1
Lipopolysaccharides from Escherichia coli 055:B5	10 mg	4°C 冰箱	1
Lysozyme from hen egg white 105000v/mg	1 g	4°C 冰箱	1
LMW Calibration Kit for SDS Electrophoresis		4°C 冰箱	2
Lung Acetone Powder	1 g	-20°C 冰箱	1
L-Lysine	1 kg	4°C 冰箱	1
L-Lysine monohydrate	100 g	藥品櫃	1
L-Lysine monohydrochloride, 98%	100 g	藥品櫃	1
H-Lys(Boc)-OH	5 g	4°C 冰箱	2
Magnesium chloride-6-hydrate	✓ 1 kg	藥品櫃	1
	500 g	藥品櫃	1
✓ Manganese(II) sulfate, anhydrous, powder	500 g	藥品櫃	1
✓ Manganese(II) sulfate monohydrate, minimum 99%	100 g	藥品櫃	1
✓ Magnesium Sulfate-Heptahydrate(MgSO ₄ • 7H ₂ O)	1 kg	藥品櫃	1
✓ D-(+)-Maltose monohydrate	100 g	藥品櫃	1
D-Mannitol	500 g	藥品櫃	1
Maltotriose	5 g	防潮箱	1
	1 g	防潮箱	1

藥 品 名 稱	規格	存放處	數量
✓ Yeast Extract	100 g	藥品櫃	1
Membrane MWCO: 500		4°C 冰箱	1
Membrane MWCO: 3500		4°C 冰箱	1
Membrane MWCO: 5000		4°C 冰箱	1
Membrane MWCO: 6000~8000		4°C 冰箱	1
Membrane MWCO: 50000		4°C 冰箱	1
MEM Non-Essential amino acid 100×	100 mL	4°C 冰箱	1
16-Mercaptohexadecanoic acid 90%	5 g	-20°C 冰箱	1
✓ MES hydrate	100 g	藥品櫃	1
β-Methallyl chloride	✓ 500 mL	4°C 冰箱	1
Methanol	4 L	有機溶劑	1
Methanol-d4 99.8 atom% D	25 g	-20°C 冰箱	1
2-methyl-2-butanol	250 mL	藥品櫃	1
Metrotrexate Hydrate >98% HPLC	1 g	-20°C 冰箱	1
Molecular Sieve 0.4 nm (吸水石)	1 kg	藥品櫃	1
Molecular weight markers	2 mg	-20°C 冰箱	2
Monensin Sodium salt, 90~95% TLC	1 g	4°C 冰箱	1
MOPS, minimum 99.5% titration	✓ 100 g	藥品櫃	2
	250 g	藥品櫃	1
Moutain solution	10 mL	防潮箱	1
✓ Myristic anhydride	5 g	4°C 冰箱	1
✓ N-Naphthol, 99%	10 g	藥品櫃	1
NHS-PES-VS Mw: 2000	100 mg	-20°C 冰箱	1
Nickel (II) sulfate	25 g	藥品櫃	1
✓ Nile blue A	5 g	藥品櫃	1
Nile Red Reference Beads	2.49 units	4°C 冰箱	1
✓ Ninhydrin	100 g	藥品櫃	1
Nitric acid	1 L	有機溶劑	1
Nitrobenzene	250 mL	有機溶劑	1
4-Nitrophenol	5 g	防潮箱	1
✓ 4-Nitrophenyl Chloroformate, 96%	25 g	4°C 冰箱	1
4-Nitrophenyl phosphate disodium salt hexahydrate	5 g	4°C 冰箱	1
22-(N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino)-23,24-bisnor-5-cholen-30-ol	10 mg	-20°C 冰箱	1
Nocodazole	10 mg	4°C 冰箱	1
Nonidet P40 substitute	1 L	藥品櫃	1
Nuclear Fast Red	5 g	防潮箱	1
Nucleic acid gel stain	500 µl	-20°C 冰箱	1
n-Octyl-β-D-Glucopyranoside	1 g	-20°C 冰箱	1
✓ L-Ornithine, hydrochloride, 99%	100 g	藥品櫃	2
Octadecylamine	25 g	藥品櫃	1
1-Octanol	1 L	有機溶劑	1
n-Octanoic Anhydride	25 g	防潮箱	1
Octanoyl Chloride	100 mL	防潮箱	1
O-Phthaldialdehyde (OPA)	1 g	-20°C 冰箱	1

藥品名稱	規格	存放處	數量
Octyltrimethylammonium bromide	5 g	防潮箱	1
Oleic acid	25 mL	4°C 冰箱	1
Oxalyl Chloride	100 mL	藥品櫃	1
Palladium, 5 wt%	10 g	防潮箱	1
Palmitoyl Chloride	100 mL	防潮箱	1
1-palmitoyl-2-Oleoyl-sn-Glycero-3-phosphocholine	1 g	-80°C 冰箱	1
Paraformaldehyde	1 kg	藥品櫃	1
Paraformaldehyde, 16% solution	10×10 mL	防潮箱	3
Pectin from apples	100 g	藥品櫃	1
9,10-Phenanthrenquinone ≥ 99 %	5 g	防潮箱	1
Phenol, red	5 g	藥品櫃	1
Phenol Saturated Solution	400 mL	4°C 冰箱	1
Phenyl isothiocyanate	25 mL	4°C 冰箱	1
Phenylmethanesulfonyl fluoride	5 g	防潮箱	1
Phosphoric acid 85%	500 mL	有機溶劑	1
Phosphatase Assay Kit	1 kit	-20°C 冰箱	1
Phosphorus oxychloride	1 L	防潮箱	1
Di-Phosphorus Pentoxide	500 g	藥品櫃	1
Picolinic acid, 99%	5 g	藥品櫃	1
Picrylsulfonic Acid (TNBS)	10 mL	4°C 冰箱	2
Piperazine-N,N-bis(2-Ethanesulfonic Acid) (PIPES)	100 g	防潮箱	1
Piperidine 99%	100 mL	藥品櫃	1
Poly(Acrylic Acid), 35 wt%	250 mL	藥品櫃	1
Poly(Vinylamine)Hydrochloride Mw: 25,000	5 g	藥品櫃	1
Poly[(-)-3-hydroxyglutamic acid] Mw: 500,000	10 g	藥品櫃	1
Polyethylene glycol 500 monomethyl ether	250 g	防潮箱	1
Polyethylene glycol 1,000	250 g	防潮箱	1
Polyethylene glycol 2,000	1 kg	防潮箱	4
Polyethylene glycol 3,000	250g	防潮箱	1
Polyethylene glycol 20,000	1 kg	藥品櫃	1
Poly(ethylene glycol)methyl ether	250g	防潮箱	2
Polyethyleneimine 99% Mw: 10000	100g	藥品櫃	1
Polyethylenimine, ethylenediamine end-capped	100 mL	藥品櫃	1
Polyethylenimine, branched, average Mw: 25000	250 mL	藥品櫃	1
Polyethylenimine, hochmolekular, wasserfrei	250 mL	藥品櫃	1
Polyethylenimine, linear, Mw: 25000	5 g	藥品櫃	2
Polyethylene glycol 350 monomethyl ether	250 g	藥品櫃	1
Polyethylene glycol 400	1 L	藥品櫃	1
Polyethylene glycol 6,000	250 g	防潮箱	1
Polyethylene glycol 8,000	250 g	防潮箱	1
Polyethylenimine, low molecular weight, 50 wt%	250 mL	藥品櫃	1
Poly-L-Arginine Sulfate salt	10 mg	-20°C 冰箱	1
Poly-L-aspartic acid sodium salt	100 mg	-20°C 冰箱	5
Poly-L-Histidine Hydrochloride	25 mg	-20°C 冰箱	1
Poly-L-lysine Hydrobromide	100 mg	-20°C 冰箱	2

藥 品 名 稱	規格	存放處	數量
Polyethylenimine linear	250 mL	藥品櫃	1
✓ Potassium Acetate	5 kg	藥品櫃	1
Potassium bromide	100 g	藥品櫃	
Potassium chloride	1 kg	藥品櫃	1
Potassium Dihydrogen Phosphate	1 kg	藥品櫃	1
✓ Potassium Ferricyanide, 99%	100 g	藥品櫃	1
✓ Potassium Ferrocyanide	100 g	藥品櫃	1
Di-Potassium Hydrogen Phosphate Trihydrate	1 kg	藥品櫃	2
Potassium Hydroxide pellets, 85%	500 g	防潮箱	1
Potassium Iodide, powder	500 g	藥品櫃	1
✓ Potassium phosphate monobasic, crystal	2.5 kg	藥品櫃	1
Potassium Phosphate Dibasic, Powder	2.5 kg	藥品櫃	1
Potassium sodium tartrate tetrahydrate	500 g	藥品櫃	1
2-Propanol	4 L	有機溶劑	1
1-Propanol	4 L	有機溶劑	1
Propidium Iodide	100 mg	-20°C 冰箱	3
Propylene Glycol	500 mL	有機溶劑	1
Protease inhibitor cocktail tablets		4°C 冰箱	1
✓ Protamine sulfate	5 g	藥品櫃	1
Pyro orange stain 1xBC		-20°C 冰箱	1
4-(dimethylamino)pyridine (DMAP)	5 g	防潮箱	1
✓ Pyrene	1 g	藥品櫃	1
✓ Resorcinol	100 g	藥品櫃	1
Rhodamine 110 chloride	250 mg	防潮箱	1
✓ Rhodamine B	25 g	4°C 冰箱	1
Ribonuclease A	1 g	-20°C 冰箱	1
Ribonucleic acid	100 mg	-20°C 冰箱	1
Saccharose	250 g	藥品櫃	1
Salicylic acid	100 g	藥品櫃	1
Sephacryl TM S-500 High Resolution	150 mL	4°C 冰箱	1
Sephadex G-10	100 g	防潮箱	1
Sephadex G-15	100 g	防潮箱	1
QAE Sephadex A-50	100 g	防潮箱	1
Q Sepharose TM Fast Flow	300 mL	4°C 冰箱	1
Selenium dioxide for synthesis	50 g	藥品櫃	1
Sephadex G-25 Medium	100 g	防潮箱	1
Serva blue G	25 g	防潮箱	
✓ Silica Gel 60 (0.015~0.040mm)	1 kg	藥品櫃	1
✓ Silica Gel 60 (0.063~0.200mm)	2.5 kg	藥品櫃	1
✓ Silver Carbonate, 99%	25 g	藥品櫃	1
Silver nitrate	50 g	防潮箱	1
✓ Sodium Acetate Anhydrous	1 kg	藥品櫃	1
Sodium Azide, 99%	500g	藥品櫃	2
Sodium Bicarbonate	500 g	藥品櫃	1
✓ Sodium Bicarbonate 7.5%(w/v)	100 mL	4°C 冰箱	1

藥品名稱	規格	存放處	數量
Sodium Cacodylate trihydrate	25 g	防潮箱	1
Sodium Carbonate anhydrous	500 g	藥品櫃	1
Sodium Chloride	5 kg	藥品櫃	1
Sodium Citrate Trbasic Dihydrate	500 g	藥品櫃	1
Sodium Cyanoborohydride	10 g	防潮箱	1
	10 g	防潮箱	1
Sodium Cyanoborohydride, 95%	50 g	防潮箱	1
Sodium deoxycholate	100 g	藥品櫃	1
Sodium Dihydrigen Phosphate Monohydrate	500 g	藥品櫃	1
Sodium dihydrogen phosphate-2-hydrate	1 kg	藥品櫃	1
Sodium Dodecyl Sulfate (SDS)	500 g	藥品櫃	1
Sodium Hyaluronate 95%	5 g	4°C 冰箱	1
Sodium Hydrogen Carbonate	1 kg	藥品櫃	1
Sodium Hydroxide	1 kg	防潮箱	1
✓ Sodium Iodide Crystal (No.1)	500 g	藥品櫃	1
✓ Sodium Molybdate dihydrate	100 g	藥品櫃	1
Sodium Nitrate	500 g	藥品櫃	1
Sodium Nitrite	1 kg	藥品櫃	1
✓ Sodium N-lauroylsarcosinate	25 g	藥品櫃	1
✓ Sodium Periodate, 99%	100 g	藥品櫃	1
Sodium p-toluene sulfinat	100 g	藥品櫃	1
Sodium Pyruvate, 99%	25 g	4°C 冰箱	1
Sodium salicylate	100 g	藥品櫃	1
Sodium sulfite Anhydrous	500 g	藥品櫃	1
Sodium sulfite	500 g	防潮箱	1
Di-Sodium Tetraborate-Decahydrate	500 g	藥品櫃	1
Sodium thiosulfate, 5-hydrate, crystal	500 g	藥品櫃	1
✓ Sodium triphosphate pentabasic	100 g	藥品櫃	1
Source™ 30Q	500 mL	4°C 冰箱	1
✓ Spermidine	1 g	4°C 冰箱	1
	5 g	4°C 冰箱	1
✓ Spermine, approx 97%	1 g	4°C 冰箱	1
D-Sorbitol	1 kg	藥品櫃	1
Streptomycin Sulfate salt	25 g	4°C 冰箱	1
Streptomycin Sulfate	100 g	4°C 冰箱	1
Succinic anhydride, >97%	250 g	藥品櫃	1
Succinic anhydride, 99%	50 g	藥品櫃	1
N-Succinimidyl-3-(2-Pyridyldithio) propionate (SPDP)	50 mg	-20°C 冰箱	1
✓ Sulfanilamide	100 g	藥品櫃	1
Sulfanilic acid 99%	100 g	藥品櫃	1
SYBR Green 1 nucleic acid gel stain	500 µl	-20°C 冰箱	1
Sypro Orange protein gel stain 5000X	500 µl	-20°C 冰箱	1
✓ Tert-Butylbromoacetate	10 mL	藥品櫃	1
Tert-Butylcarbazate	250 g	-20°C 冰箱	1
Tetracycline Hydrochloride	25 g	-20°C 冰箱	1

藥品名稱	規格	存放處	數量
Tetraethylammonium chloride	25 g	防潮箱	1
Tetrahydrofuran stabilized (THF)	4 L	有機溶劑	1
Tetramethylrhodamine B isothiocyanate	10 mg	4°C 冰箱	1
Tetramethylrhodamine B isothiocyanate (5(6)-Trite)	10 mg	-20°C 冰箱	1
Thiamine hydrochloride 99%	5 g	藥品櫃	1
Thiazolyl Blue (MTT)	1 g	4°C 冰箱	1
Thiazolyl Blue Tetrazolium Bromide	1 g	4°C 冰箱	1
	500 mg	4°C 冰箱	1
D-Thiogalactopyranoside Dioxane free	5 mg	-20°C 冰箱	1
Thionyl chloride	1 L	有機溶劑	1
2,2,2-Tribromoethanol		防潮箱	2
1,1,2-Trichlorotrifluoroethane	500 mL	防潮箱	1
2,2,2-Trifluoroethanol, 99.8% (TFE)	100 mL	藥品櫃	1
2,2,4-Trimethyl Pentane	1 L	有機溶劑	1
Trizma base	1 kg	藥品櫃	1
D-(+)-Trehalose Dihydrate	250 g	藥品櫃	1
D-(+)-xylose	100 g	防潮箱	1
L-Tryptophan	100 g	防潮箱	1
L-Tyrosine Disodium salt	100 g	防潮箱	1
TEMED	25 mL	防潮箱	1
	100 mL	防潮箱	1
Thymidine-2-Deoxyriboside (Thymidine)	5 g	藥品櫃	1
Thymine, 99%	10 g	藥品櫃	1
Tin(IV)chloride(fuming)	100 mL	藥品櫃	1
Toluene	2.5 L	有機溶劑	1
Toluene-4-Sulfonic acid monohydrate	100 g	藥品櫃	1
Toluene Low Water	1 L	有機溶劑	1
TO-PRO-1 Iodide	1 mL	-20°C 冰箱	2
Tricine, minimum 99% titration	100 g	藥品櫃	2
Triethylamine	1L	有機溶劑	1
Trifluoroacetic Acid (TFA)	70 mL	有機溶劑	1
Trifluoroacetic anhydride	50 mL	4°C 冰箱	1
Triisopropylsilane, 99%	50 g	藥品櫃	1
Triphenylphosphine	25 g	藥品櫃	1
Tris Buffer (for MFG only)	26 mL	4°C 冰箱	1
Tris(base)	1 kg	藥品櫃	1
Triton X-100	50 mL	藥品櫃	2
Tropaeolin 000 No.2	25 g	藥品櫃	2
Trypsin 0.05% (1x) solution	25 g	藥品櫃	1
Trypsin, From Porcine Pancreas	25 g	-20°C 冰箱	1
Trypsin 1:250	25 g	4°C 冰箱	1
L-Tyrosine disodium salt	100 g	防潮箱	1
Uranyl acetate	25 mg	防潮箱	1
Urea	500 g	藥品櫃	1
X-Gal	250 mg	-20°C 冰箱	1

藥品名稱	規格	存放處	數量
X-GAL(5-Brom_4_Chloro-3-indolyl-B-D-Galactoside)	5 g	-20°C 冰箱	1
	1 g	-20°C 冰箱	1
	4 L	有機溶劑	1
Xylenes	10 g	藥品櫃	1
✓ Xylene Cyanol	100 g	防潮箱	1
D-(+)-xylose	100 g	藥品櫃	1
✓ Zinc chloride	500 g	藥品櫃	1
sodium phosphate dibasic	250 g	藥品櫃	1
Titanium oxide P25 Nano grade	10 g	防潮箱	1
hydroxyapatite	25 g	藥品櫃	1
4-Methylumbelliferone free acid	樣品瓶	藥品櫃	1
lysine	25 g	藥品櫃	41
Direct red 80		"	1
potassium permanganate crystal	5 g	"	1
L-ornithine monohydrochloride, >99%	100 mg	"	1
Cobalt-chloride, anhydrous		"	1
CuSO ₄ ·5H ₂ O	100 G	"	1
Sodium (meta) periodate ≥99.0%	50ml 離心管		1
NiSO ₄ ·6H ₂ O	小樣品瓶	"	1
CrCl ₃ ·6H ₂ O	25 G	4°C	1
N-Hydroxysuccinimide	5g	4°C	1
spermidine	10g	4°C	2
IP TG	25g	4°C	1
Di-tert-butyl dicarbonate 25g			
Trichloroacetic acid 20g 4°C		4°C	1
Albumin standard		4°C	1
immersion oil Type-F (for Fluorescence/Ordinary microscopy)		4°C	1
Acryl/BIS™ 2421 (ultrapure) 40% solution.	500ml.	4°C	1
NaOCl 6-10% active Cl	100ml	4°C	1